

bizhub C364/C284/C224







bizhub INFO-PALETTE DESIGN:

NEW DIMENSIONS OF INFORMATION AT YOUR COMMAND.

Your workload is growing – and new business opportunities won't wait. With the bizhub C364/C284/C224, you'll have the document power your office has been missing: fast output speed, superior color, flexible scanning, auto finishing and high-tech innovations to lower your costs while protecting the environment. INFO-Palette design places new dimensions of business information at your fingertips – including downloadable apps* to expand your horizons and boost your productivity – with a "touch and swipe" interface that's smooth, simple and intuitive.









bizhub PRODUCTIVITY PLUS:

APPS, i-OPTIONS, PAGESCOPE AND SOFTWARE INTEGRATION

In today's fast-moving world, opportunities won't wait — so Konica Minolta makes it easy to customize a document system that speeds your workflow, fits your budget and keeps you a step ahead of emerging business needs. You'll have a wide array of functions, options and enhancements to choose from: downloadable apps* to boost your productivity, high-speed fax for all-in-one functionality, i-Option kits for the special features you need, and seamless integration with 3rd-party business software — including variable-data mailing, account tracking, cost recovery, and industry-standard programs for healthcare, education, law and other specialized applications.





Apps* & i-Options: a new approach to all-in-one productivity.

A color document solution with on-screen apps? That's one of the revolutionary advantages of the bizhub C364/C284/C224 series. With IWS, you have direct access to downloadable apps* from the bizhub MarketPlace. You can display a corporate announcement, access a library of forms/templates, check on the status of your MFP's security settings, view and print Google documents and emails as well as SharePoint documents, scan to both Google and SharePoint, order Clean Planet recycling boxes, print Clean Planet shipping labels, and much more — all without ever leaving the MFP.

You can also choose from an array of i-Option kits that add specialized functions to your bizhub MFP: LK-101 v3 for web-browser support, LK-102 v3 for PDF/A, Linearized PDF and AES 128-bit PDF encryption support, LK-104 v3 for Voice Guidance operation, LK-105 v3 to create searchable PDF files, and LK-106, 107 and 108 to provide support for Bar Code Font, Unicode Font and OCR Font printing.

Biometric Authentication, HID Proximity Cards, and other powerful options guard your bizhub from unauthorized use.





Enhanced security to protect sensitive business data.

To meet rising demands for protecting both documents and devices, the bizhub C364/C284/C224 are designed with powerful security safeguards and systems — including an optional built-in IC card reader for fast, simple ID card authorization. All models are currently in evaluation to meet strict ISO 15408 security standards — and all accept a wide array of specialized options to fit the needs of your application, including Biometric Authentication, input for HID Proximity Cards, iClass Cards and Magnetic Stripe Cards, and CAC/PIV Card** support.

Konica Minolta's bizhub SECURE, a professional security service, provides a powerful level of lock-down protections that guard your bizhub from unauthorized operation and access.

You can initiate encrypted PDF workflow to protect information passing from PCs to networked bizhub devices. IP filtering registers IP addresses of the PCs on your network. An optional Copy Guard system can require password access to make copies. HDD Lock can apply password protection to your bizhub hard disk drive.

To protect information once stored on your bizhub hard disk drive, the Job Erase function automatically overwrites your HDD up to three times — meeting the criteria of DoD 55220.22-M (Department of Defense) and NAVSO P-5239-26 (US Navy). And when your bizhub is reassigned to another location or removed from service, HDD Sanitizing can overwrite data in eight different modes so no sensitive information is compromised.



Optional IC-414 Fiery Image Controller.

For graphics-intensive applications and light production printing needs, the bizhub C364 and bizhub C284 also accept an optional IC-414 Fiery Image Controller to manage color printing, color matching and advanced print queue control. The IC-414 incorporates standard EFI Command Workstation functionality, Fiery Remote Scan, and EFI WebTools. Standard Fiery VUE software helps you orchestrate all elements into a professional high-impact result — and you'll be able to handle specific Pantone color requirements, manage print queues more effectively, and fine-tune color output to suit the needs of any job.

Fiery Graphic Arts Options also include Auto Trapping, Hot Folder printing with embedded job ticket settings, job setup with finishing options and imposition attributes for drag-and-drop printing. An optional Color Profiler suite allows you to create customized ICC profiles with CMYK devices.

The innovative IC-414 Fiery Image Controller offers advanced color capabilities and productivity-boosting tools for office workgroups.

Seamless integration of PageScope and 3rd-party software.

Konica Minolta's bizhub Extended Software Technology (bEST) makes the bizhub C364/C284/C224 ideal for software programs from 3rd-party developers — with bizhub Open API design to enable direct keyboard control of most business software.

PageScope Enterprise Suite provides a powerful set of productivity tools for server-based authentication and account tracking — including a MyPanel Manager utility to customize the interface that appears at each bizhub MFP and disappears when users log out. PageScope Web Connection gives each bizhub device its own "internal website." PageScope Net Care Device Manager provides fast, simple IT management of multiple devices from a single point. PageScope Print Status Notifier provides automatic alerts to speed your workflow. PageScope Data Administrator™ handles addresses, passwords, and accounts with ease — and PageScope Box Operator lets you download and access scanned User Box data from your PC.

Your bizhub also allows seamless interface with a wide range of software for general business as well as specialized legal, educational and healthcare environments. For a complete list, please visit our website: http://kmbs.konicaminolta.us

COUNT ON KONICA MINOLTA

Konica Minolta Business Solutions U.S.A., Inc., is a leader in advanced document management technologies and managed IT services. Our product line spans desktop to print shop — and your bizhub products receive superior service and support from our nationwide network of 114 Konica Minolta corporate sales offices and approximately 350 authorized dealers. With over 37,000 worldwide employees and cutting-edge research programs in optical and digital technology, we're proud of our record of achievement. In 2012, for the fifth straight year, Konica Minolta has been recognized as the #1 Brand for Customer Loyalty in the MFP Office Copier Market by Brand Keys. Our bizhub color and B&W A3 MFP line has also been named "Line of the Year" for the second year in a row by BLI (Buyer's Laboratory LLO). Konica Minolta has been listed among the Brand Keys top 100 Brand Loyalty Leaders — and we're the only copier company to be ranked among the top 100 brands.

^{**}Anticipated CAC/PIV availability Fall 2012.







DIE!!!			
FULL COLOR PRINTER/COPIER/SCANNER	k/FAX bizhub C364	bizhub C284	bizhub C224
SPECIFICATIONS			
Type / Toner System / Print Method	Full-Color Printer/Copier/S	Scanner with Stationary Platen / Simitri HD Toner with	Biomass / Tandem Process
Monthly Duty Cycle (pages)	125,000	100,000	80,000
Print / Copy Speed (Letter, portrait)	Full Color & B&W: 36ppm	Full Color & B&W: 28ppm	Full Color & B&W: 22ppm
DF-701 Dual Scanner Document Feeder		Color/B&W Simplex Speed: 80 opm, Paper Capacity: 1	
DF-624 Single Rev. Scanner Document Feeder		Color/B&W Simplex Speed: 80 opm, Paper Capacity: 10	
Power Requirements / Consumption		120V 12A (60 Hz) / 1500W or less	
TEC Value	2.43 kWh	1.83 kWh	1.63 kWh
Dimensions / Weight		24.2"(W) x 27" (D) x 31" (H) / 185.18 lbs	
COPY			
Warm-up Time / First Copy Time	< 20 sec. / Full Color: < 6.9 sec. B&W: < 5.3 sec.	≤ 18 sec. / Full Color: ≤ 7.7 sec., B&W: ≤ 5.9 sec.	< 18 sec. / Full Color: < 8.3 sec. B&W: < 6.9 sec.
Copy Resolution/Quantity		600 x 600 dpi / 1-9,999	_ 10 00017 1 dil 001011
Magnification	700m range: 25% - 400% 0.1% increments Pr	reset reduction: 78.5%, 73.3%, 64.7%, 50.0%, Prese	t enlargement: 121 4% 129 4% 154 5% 200%
Copy Exposure Modes			e text), Dot Matrix (dot matrix or pencil originals), Copied Paper
PRINT: Emperon Print System with bizhub Extend	1 2	(opaniazou ioi gradadorio); map (inio dagod ana logisi	o toxi, por matrix (ase matrix or portor originally, copied raper
Processor / Memory / Hard Disk Drive	1.0 GHz (MPC8536) / 2GB / 25	ENCP (Charad with the copier)	800 MHz (MPC8536) / 2GB / 250GB (Shared with the copier)
Print Resolution / Grayscale Gradations		300 dpi equivalent x 600 dpi) or 1200 x 1200 dpi / 25	
Page Description Language / Fonts			Roman fonts, PostScript 3 Emulation: 137 Roman fonts
Operating System Compatability			32, x64), Windows Server 2003 Standard/Enterprise (x32, x64),
Operating System Compatability			2, x64), Windows Server 2003 Standard/Enterprise (x32, x64),
		(64), Windows Server 2008 Standard/Enterprise (x32,	
		or later, OS X 10.2 or later, OS X 10.5 (Intel) or later /	
Interface		se-T/100 Base-TX/1000 Base-T, USB 1.1, USB 2.0, U	
Network Protocols			TP, POP, SMTP, LDAP, NTP, SSL, IPX, AppleTalk, Bonjour, NetBEUI,
Network Flotocols		WS, S/MIME, IPSec, DNS, DynamicDNS, LLMNR, LLTE	
CODY / PRINT FUNCTIONS	WEDDAY, DI	WO, 3/MINIE, II OCC, DINO, DYNAMICDINO, ELIMINI, ELIE	7, 33DI , 30AI
COPY / PRINT FUNCTIONS	Account Trade (1 000 accounts) Administration Made Auto	Dunlay Auto Tray Cuitabina Di Directional Communi	action Block Over Brint Cord Chat Color Mades & Eventions
Features			cation, Black Over Print, Card Shot, Color Modes & Functions
			y Modes (Simplex/Duplex, 2-in-1, 4-in-1, 8-in-1, Book, Booklet,
			everse, Image Repeat), Encrypted Network Password Printing,
			old, Tri-Fold, Center Staple and Fold), Form Overlay, Glossy Mode,
	Image Preview (Job Finishing Image Display, Engine Configuration Disp		F, Color Balance, Screen Settings, Image Smoothing ON/OFF),
	Password Copy, Program/Recall Jobs, Paper Type Selection (Normal,		
			cation (Up to 20 Authentication Servers)(Synchronize w/Account Track),
		ent Settings, Default Settings, One-Touch Settings, Ch	
CCAN	Oser Box runction, other (wheter count, Environme	ent bettings, belaut bettings, one-loach bettings, or	ieck consumable life), watermark, Zoom celection
SCAN Scan Resolutions		200 dpi, 300 dpi, 400 dpi, 600 dpi	
Scan File Formats / Color Modes	TIEE DDE Compact DDE IDEC	XPS, Compact XPS, PPTX / Auto Color, Full Color, Black	ok & White 2 Color Single Color
Scan Functions			top), Scan-to-USB, Scan-to-WebDAV, Distributed Scan Management,
Scarr unctions	Scall-to-Liliali, Scall-to-11F, Scall-to-11DD (Scall-to-0Sel Dox), Scall	Network TWAIN, WS-Scan, Color Internet Fax	top), scar-to-osb, scar-to-webbAv, bistributed scar ivianagement,
- FIX FAA FAX IXIT (ODTIONAL)		Network TWAIN, W3-3cari, Color Internet Lax	
FK-511 FAX KIT (OPTIONAL) Compatability / Compression	Cupar C2 compat	ibility 22 6 l/bps madem appeal / MH, MD, MMD, IDIO	Adata compression
Fax Transmission Speed / Fax Memory		ibility, 33.6 Kbps modem speed / MH, MR, MMR, JBIC r page (JBIG, standard resolution) / 2 GB (shared print	
Fax Line Mode / Fax Exposure Mode	Less tildir 3 seconds per	PSTN, PBX, G3 / Text, Text/Photo, Photo, Dot Matrix	
Fax Functions	Autodialing (2.000 addresses) Auto Mamory Pacantian Auto Pad		s), Bulletin Board, Duplex Transmission/Reception, F-Code Support,
I da i uncuons			, Overseas Transmission, Password Transmission/Reception, PC-Fax,
			ns), Redial, Relay Transmission, Fassword Transmission, TSI Routing
Fax Options	ii Address Fax, Foling Transmission/Treception, Finit Setting C	Spare TX-Marker Stamp 2, SP-501 Fax Stamp Unit	is), neulai, nelay Italishiission, filmer Italishiission, for flouting
•		oparo 17 markor otamp 2, or -out 1 ax otamp omit	
PAPER HANDLING	11, 1, 448, 478,	secondary (secondary) The te 14 Hz 4 7 H 5 Hz 14 - 4 2 Hz	10ll pages (printing)
Original Size		scanning/copying), Up to 11" x 17" full bleed on 12" x	
Paper Trays			al cassette) / 5.5" x 8.5" to 12" x 18" / 14 lb. bond to 140 lb. index
- DC 110 Daney Food Cabinat		" x 6" to 12" x 18", 8" x 13" / Banner Paper / 16 lb.	
PC-110 Paper Feed Cabinet PC-210 Paper Feed Cabinet			330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13"
 PC-210 Paper Feed Cabinet PC-410 Paper Feed Cabinet 			x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13"
		2,500-sheets / 8.5" x 11" / 14 lb. bond to 140 lb. inde	X
Maximum Paper Capacity		3,650-sheets (total with options)	
APPLICATIONS	D 0	LINE LIDE D. L. L. LIVIII	20.01 D (1.100)
Network & Device Management		ing Utility, HDD Back-Up Utility, Download Manager (IC	
User Tools	PageScope Web Connection, PageScope Direct Print, PageSc		ont Management Utility, Copy Protect Utility, Print Utility for Unix
Management Tools		bizhub vCare support	
PageScope Enterprise Suite	PageScope Account Manager, PageScope Authentication Mar	nager, PageScope MyPrint Manager, PageScope MyPa	anel Manager, PageScope Net Care Device Manager (standard)
 ADDITIONAL OPTIONS 			
 Authentication / Security Options 			d Authentication Unit, AU-204H Magnetic Stripe Card Reader,
		y Guard Kit, WT-506 Working Table to support Authen	
 External Keyboard 			ce for External Keyboard, Bluetooth Support and Voice Guidance
• i-Ontion	LK-101 v3 i-Ontion LK-102 v3 i-Ontion LK-104 v3 i-Ontion	n LK-105 v3 i-Ontion LK-106 i-Ontion LK-107 i-On	tion TK-108 i-Ontion TIK-204 i-Ontion Memory Ungrade Kit

 External Keyboard 	KH-102 Keyboard Mount Kit, EK-606 USB Interface for External Keyboard and Voice Guidance, EK-607 USB Interface for External Keyboard, Bluetooth Support and Voice Guidance		
• i-Option	LK-101 v3 i-Option, LK-102 v3 i-Option, LK-104 v3 i-Option, LK-105 v3 i-Option, LK-106 i-Option, LK-107 i-Option, LK-108 i-Option, UK-204 i-Option Memory Upgrade Kit		
 Finishing 	FS-534 50-Sheet Staple Finisher, PK-520 Punch Kit (FS-534), SD-511 Saddle Stitcher Kit (FS-534), FS-533 50-Sheet Inner Staple Finisher, PK-519 Punch Kit (FS-533), JS-506 Job Separator		
• Others	DK-510 Copy Desk, MK-730 Banner Paper Guide, OC-511 Original Cover		
• FIERY IC-414 EMBEDDED IMAGE CONTROLLER (OPTIONAL)**			
Processor / Memory / Hard Disk Drive	Intel Pentium E5300 2.6 GHz / 2 GB (standard/max) / 160 GB HDD		
Page Description Language / Fonts	PCL5, PCL6, Adobe PostScript 3 (version 3019) / PCL: 80 fonts, Adobe PS3: 138 fonts		
Operating System Compatability	PCL6, PS3: Windows XP (x32, x64), Windows Vista (x32, x64), Windows 7 (x32, x64), Windows Server 2003, Windows Server 2008 (x32, x64);		

Interface / Protocols

Optional Software / Hardware

Mac: OS X 10.4.x, Intel-based: 10.4.x (print driver), 10.5.x, 10.6.x; Unix/Linux 10 Base-TX/100 Base-TX/1000 Base-T, USB 1.1, USB 2.0 / TCP/IP, IPX/SPX, AppleTalk (EtherTalk), LPR, SMB, LPD, Netware (5.x, 6.x), Pserver, Nprinter, NDPS, IPP, SMTP/POP3, LDAP, SSL/TLS, SNMP, HTTP/HTTPS, IPv6, DPWS (WSD)

Fiery Command Workstation, ColorWise Tools, Fiery Spot-On™, Fiery WebTools, Fiery VUE, Secure Erase

Standard Software Fiery Productivity Package, Hot Folders/Virtual Printers, Auto Trapping, SeeQuence Impose, SeeQuence Compose, Impose+Compose Suite, Color Profiler Suite v3.1 UV, Fiery Color Profiler Suite v3.1 (software only), ES-1000 Spectrophotometer / VI-506 Video Interface Kit for IC-414

*Anticipated availability Fall 2012 ** Fiery not availabe for the bizhub C224



Konica Minolta Optimized Print Services offers a full suite of device output services and workflow solutions that increase efficiency and control costs. Please contact your authorized Konica Minolta sales representative for details.

KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. 100 Williams Drive Ramsey, NJ 07446













© 2012 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Konica Minolta is a registered trademark of KONICA MINOLTA

HOLDINGS, INC. bizhub, Empreron and PageScope are trademarks of KONICA MINOLTA BUSINESS TECHNOLOGIES, INC. Simitri is a registered trademark of KONICA MINOLTA BUSINESS SOLUTIONS. All other brands and product names are registered trademarks or trademarks or trademarks of their respective owners.







