

## imageRUNNER ADVANCE C350iF/C250iF C350P

# MFP/printer compact design Workgroup color/black and white Solutions fleet integration 333 Ð 2

Simply advanced.

19

imageRUNNER ADVANCE C350iF/C250iF C350P

### Designed for

Busy workgroups that demand connected workflows in a compact space

8

2

### **Standard Features**

Copy\*/Print/Send\*/Fax\*

Color/Black and White

Print up to 36 ppm (Letter)

Up to 600 x 600 dpi

Up to 8-1/2" x 14"

2,300-sheet maximum capacity

In-line finishing option

Scan up to 36 ipm\*

Scan directly to Microsoft® PowerPoint® and Searchable PDF formats\*

Hard Disk Drive Lock and Erase, IPsec

\* imageRUNNER ADVANCE C350iF/C250iF only.

## Simply advanced.

As Canon's most advanced compact color devices, the imageRUNNER ADVANCE C350iF/ C250iF/C350P models deliver easy, efficient workflows and connectivity to mobile devices and cloud-based tools. Smooth fleet integration allows transition from basic output to advanced MDS solutions, without sacrificing space. Designed to help any business reach higher productivity, these models are simply advanced.



## **People-Centric**

An exceptionally intuitive, simple-to-use interface puts access to all functions right at your fingertips, whether at the device or at your desktop.



Brilliant

Get noticed with high-impact, vivid and vibrant color and crisp black and white, all delivered with impressive speed and quality.



## Security

Multilayered solutions help safeguard confidential information and, with certain options, support security compliance.



## **Cloud-Enabled**

A touch of a button on the user interface lets you access, scan to, or print directly from certain cloud applications.



## Mobile

Even on the go, you're in control. Print from a laptop, tablet, or smartphone to an imageRUNNER ADVANCE system.



## Connected

Advanced technology and expansive enterprise applications work seamlessly with your device to deliver exceptional results.

## imageRUNNER ADVANCE C350iF/C250iF/C350P

## More than managed print.

## **Real Managed Document Services**

#### **Powerful MDS Enabler**

MDS (Managed Document Services)—expert, ongoing optimization of your total document environment—can boost productivity and help deliver big savings. These models are designed from the start to tap into powerful MDS tools and services that track usage, optimize printing behavior, identify excessive printing, efficiently manage information and process, and more.

#### **Cost-efficient. Feature-packed**

Never before has Canon packed so many capabilities into a color device this small. Now you can benefit from powerful imageRUNNER ADVANCE capabilities without sacrificing space. Plus, you can cost-effectively consolidate fleets of inefficient printers with an advanced system, helping to lower overhead costs.

## Software solutions supporting MDS

Canon's available software solutions and professional services address every area of MDS and help take your business to the next level. uniFLOW Therefore<sup>™</sup> Advanced Anywhere Print Universal Login Manager Authorized Send\* Workflow Composer





#### Leverage your fleet

Canon delivers the industry's most comprehensive and operationally consistent range of smart devices, from letter-sized black and white to color light production. Users like the familiar operation while owners like the familiar operation while owners like the high uptime and low TCO. And IT pros like the fast deployment, ready connectivity, and ease of upgrades for the common platform.

MDS Cloud Mobile Printing/Scanning\* Enterprise Management Console with Plug-ins Middleware Solutions Third-Party Connectors

## **Printing Options**\*\*

Direct Print Kit (For PDF/XPS)-H1 PCL International Font Set-B1 Barcode Printing Kit-D1

## Security Options

Universal Send Security Feature Set-D1\* Universal Send Digital User Signature Kit-C1\* Encrypted Secured Print-D1 Secure Watermark-B1 HDD Data Encryption Kit-C6 iR-ADV Security Kit-H1 For IEEE2600.1 Common Criteria Certification\*\*\* Document Scan Lock Kit-B1\* HDD Erase Scheduler\*\*\*

IC Card Reader Box-A1

## Accessibility Options Braille Label Kit-F1

#### ADF Access Handle-A1\*

\* Available only on imageRUNNER ADVANCE C350iF/C250iF. \*\* UFR II and PCL 5e/6 and Adobe PostScript 3 are standard. \*\*\* Check with your dealer for availability.

Note: For additional options and specifications, please refer to the back page.



## C350iF/C250iF 350P

#### Main Unit

#### Operation Panel: 7" Color WVGA, LCD Touch Panel

#### Memory

2 GB RAM Standard: Maximum: 2 GB RAM

#### Hard Disk Drive

Standard: 80 GB 80 GB Maximum:

#### Network Interface Connection

Ethernet 10/100/1000Base-TX

#### Other Interface

USB 2.0 x3 (Host), USB 2.0 (Device)

#### Copy<sup>+</sup>/Print Speed (BW/Color, Letter)

C350iF/C350P:Up to 36/36 ppm C250iF: Up to 26/26 ppm

#### First Print-Out Time (Letter)

First Finit-Ou	(Letter)
C350iF:	As fast as 8.9 Seconds (BW) and 10.4 Seconds (Color)
C250iF:	As fast as 11.4 Seconds (BW) and 13.5 Seconds (Color)
C350P:	As fast as 8.9 Seconds (BW) and 10.4 Seconds (Color)

#### Paper Sources (20 lb. Bond)

Standard:	550-sheet Paper Cassette
	100-sheet Stack Bypass
Maximum:	2,300 Sheets

#### Output Paper Capacity (20 lb. Bond)

Standard:	250 Sheets	
Maximum:	500 Sheets for non-stapled	
	(with Staple Finisher-S1)	

#### **Output Paper Sizes**

Cassettes:	Legal, Letter, Statement, Executive, Custom Size [(3-7/8" x 7-1/2" to 8-1/2" x 14") (98.4 mm x 190.5 mm to 216 mm x 355.6 mm)], and Envelopes (COM10, Monarch, DL, ISO-C5)*
Bypass:	Legal, Letter, Statement, Executive, Custom Size [(3-7/8" x 5-7/8" to 8-1/2" x 14") (98.4 mm x 148 mm to 216 mm x 355.6 mm)], and Envelopes (COM10, Monarch, DL, ISO-C5)
Accontable D	nor Woights

#### Acceptable Paper Weights

Cassettes

(Paper Drawer 1, 2, 3, 4): 16 lb. Bond to 60 lb. Cover (60 to 163 g/m<sup>2</sup>) Bypass: 16 lb. Bond to 80 lb. Cover (60 to 220 g/m<sup>2</sup>)

#### Warm-up Time

Quick Startup 10 Seconds\*\* Mode From Sleep: 10 Seconds From Power On: C350iF/C250iF: 34 Seconds C350P 70 Seconds

#### Power Requirements/Plug

120 V, 60 Hz, 7.5 A, NEMA 5-15

#### Dimensions (H x W x D)

C350iF/C250iF:24" x 20-1/8" x 24-1/2" (610 mm x 511 mm x 621 mm) C350P: 20-2/3" x 20-1/8" x 24-1/2" (525 mm x 511 mm x 621 mm)



WWW.IMAGERUNNER.COM

Installation Space (W x D) 33-1/2" x 24-1/2" (852 mm x 621 mm)

#### (When the Multipurpose Tray is extended) Weight

C350iF/C3250iF:Approx. 99.2 lb. (45 kg)\*\*\*

C350P:	Approx.	90.3	lb.	(41	kg)***	
--------	---------	------	-----	-----	--------	--

Toner (Estimated Yield @ 5% Coverage) BW: 19.000 Images 21,500 Images Color:

#### Image Reader Unit<sup>+</sup>

Scan Resolution Up to 600 x 600 dpi BW: Color Up to 300 x 300 dpi

Maximum Original Size Legal (8-1/2" x 14")

#### **Document Feeder**<sup>+</sup>

#### Scan Method

Duplexing Automatic Document Feeder

#### Acceptable Originals

Paper Size: Legal, Letter, Statement

Scan Speed (BW/Color; Letter)		
C350iF:	Simplex: 36 ipm (300 dpi)/23 ipm (600 dpi)	
	Duplex: 11 ipm (300 dpi)/9 ipm (600 dpi)	
C250iF:	Simplex: 26 ipm (300 dpi)/16 ipm (600 dpi)	

Duplex: 9 ipm (300 dpi)/7 ipm (600 dpi) Paper Capacity (20 lb. Bond)

50 Sheets Letter: Legal: 30 Sheets

#### **Print Specifications**

Engine Resolution: 600 x 600 dpi

#### PDL Support

UFR II. PCL 5e/6. Adobe® PostScript® 3™ Standard:

#### Print Driver Supported OS

#### UFR II, PCL 5e/6, Adobe PS 3:

Windows® (XP/Windows Vista®/7/8.1), Windows Server (2003/2008/2008 R2/SBS 2011/2012/2012 R2), Windows Terminal Servers, Microsoft Clustering Server, Citrix (Presentation Server, XenApp, XenDesktop), Macintosh® (OS X 10.5.8 or later UFR II and PS3 only), VMware, SAP (PCL and PS3 only)

#### **Direct Print Support**

PDF, TIFF, JPEG, PS, EPS<sup>▲</sup> Standard: Optional: XPS

#### Universal Send Specifications<sup>+</sup>

#### Sending Method

E-mail, I-Fax, File Server (FTP, SMB, WebDAV), Super G3 Fax

#### **Communication Protocol**

File: E-mail/I-Fax: SMTP, POP3, I-Fax (Simple, Full)



As an ENERGY STAR<sup>®</sup> Partner, Canon U.S.A., Inc. has qualified these models as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. AirPrint and the AirPrint logo are trademarks of Apple Inc. Canon, imageRUNNER, MEAP, and the GENUINE logo are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. imageWARE is a registered trademark of Canon U.S.A., Inc. in the United States and is a trademark of Canon Inc. in certain other countries. All other referenced product names and marks are trademarks of their respective owners. All printer output images are simulated. Specifications and availability subject to change without notice. Not responsible for typographical errors. ©2015 Canon U.S.A., Inc. All rights reserved.

Federal Law prohibits copying of certain documents. Violators may be subject to penalties. We suggest that you check with your own legal counsel. Canon U.S.A., Inc. and Canon Canada, Inc. intend to cooperate with Law Enforcement Agencies in connection with claims of unauthorized copying.

0715-350iF/C250iF/C350P-PDF-IH







#### File Format

Standard:	TIFF, JPEG, PDF, PDF (Compact), PDF (Apply Policy), PDF (Optimize for Web), PDF/XPS (OCR), PDF-A-lb, XPS, XPS (Compact), OOXML (OCR) (.pptx)
Optional:	PDF (Trace and Smooth), PDF (Encrypted), PDF/XPS (Digital Signature)

#### Fax Specifications<sup>+</sup>

#### Number of Connection Lines

Standard<sup>.</sup> Maximum:

Modem Speed

Super G3: 33.6 Kbps

G3 14.4 Khps

Compression Method: MH, MR, MMR, JBIG

Sending/Recording Size: Statement to Legal

#### Store Specifications

Memory Media Standard: USB Memory Advanced Box

Store to Remote Advanced Box: \*\*\* Supported\* Print/View from Remote Advanced Box:\*\*\* Supported

#### **Security Specifications**

#### Standard

Department ID Management, Single Sign On-H, Access Management System (Device and Function Level Log-in), Secured Print, Trusted Platform Module, IPv6, Restricting Features (Restricting the Send Function,<sup>†</sup> Restricting New Addresses on Address Book),<sup>†</sup> Send to Myself (only),<sup>†</sup> Send to My Personal Folder (only),<sup>†</sup> SSL Encrypted Communication, SNMPv1/v3, MAC/IP Address Filtering, IEEE802.1x (wire/wireless), SMTP Authentication,<sup>+</sup> POP Authentication before SMTP,<sup>+</sup> HDD Initialize (Up to 9x) HDD Erase (Up to 3x), HDD Lock, IPsec, Adobe® LiveCycle® Rights Management ES2.5 Integration

#### Optional

HDD Encryption, HDD Erase Scheduler, Encrypted Secured Print, Encrypted PDF, Secure Watermark, IEEE 2600.1 Common Criteria Certification,<sup>®</sup> imageWARE Secure Audit Manager Express, uniFLOW, AA-Print, Universal Login Manager

- imageRUNNER ADVANCE C350iF/C250iF only.
- \* Can be installed in Cassette 1 only.
- \*\* If "Quick Startup Settings for Main Power" is set to On, it takes 10 seconds until the key operation on the touch-panel display is available after turning on the main power.
- \*\*\* Includes consumables.
- \* EPS can be printed directly only from Remote User Interface.
- \*\* XPS cannot be printed directly from Web Access Software
- \*\*\* Requires imageRUNNER ADVANCE device with Advanced Box. Check with Dealer for availability.
- FTP (TCP/IP), SMB (TCP/IP), WebDAV

IMPOSSIBLE